

Notice of Allowability

Application No.

10/692,758

Examiner

Melissa J Koval

Applicant(s)

KATOH, HIROMI

Art Unit

2851

pm

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the Amendment of July 13, 2004.
2. ☒ The allowed claim(s) is/are 1-7.
3. ☒ The drawings filed on 13 July 2004 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Allowable Subject Matter

Claims 1-7 are allowed.

The following is a statement of reasons for the indication of allowable subject matter:

The prior art of record neither shows nor suggest a projection type optical display system having the combination of elements as follows: a light source, a display panel, a light control system, an optical system, a circuit for generating data, and an optical shifter for shifting and particularly “a circuit for generating data representing multiple image subframes from data representing each image frame as a component of the image and getting the image subframes displayed by the display panel time-sequentially; and an optical shifter for shifting on the projection planes a selected one of the multiple image subframes being displayed by the display panel, wherein the optical shifter is optimized to one of the split outgoing light rays of the display panel, which falls within a wavelength range with the highest luminosity to human beings so as to shift the light ray on the projection plane an integral number of times as long as the pixel pitch of the display panel.”

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Kume et al. US 2003/0095092 A1 teaches an optical shifter and an optical display system.

Johnson et al. U.S. Patent 6,707,516 B1 teaches a single-panel field-sequential color display systems.

Handschy et al. U.S. Patent 5,748,164 teaches an active matrix liquid crystal image generator.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melissa J Koval whose telephone number is (571) 272-2121. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on (571)272-2258. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MJK

A handwritten signature in black ink, appearing to read 'David Gray', with a long horizontal line extending to the right.

David Gray
Primary Examiner